

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	383	(access\$3 near2 (value or data)) and (updat\$3 or process\$3 or modify\$3 or modification) near2 (data or value) and prolog\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:32
L2	46	(access\$3 near2 (value or data)) and (updat\$3 or process\$3 or modify\$3 or modification) near2 (data or value) and prolog\$3 near3 (function or routine or procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:37
L3	377	717/114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:35
L4	626	717/124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:36
L5	251	717/126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:36
L6	368	717/130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:36
L7	77	717/114 and (test\$3 or integrity) and (access\$3 near3 (data or variable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:35
L8	144	717/124 and (test\$3 or integrity) and (access\$3 near3 (data or variable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:36
L9	52	717/126 and (test\$3 or integrity) and (access\$3 near3 (data or variable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:36
L10	98	717/130 and (test\$3 or integrity) and (access\$3 near3 (data or variable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:36

L11	37	(access\$3 near2 (value or data)) and (updat\$3 or process\$3 or modify\$3 or modification) near2 (data or value) and prolog\$3 near3 (function or routine or procedure) and (test\$3 or integrity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 10:37
S1	145	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/07 10:09
S2	203	717/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:23
S3	92	717/126.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:23
S4	269	717/???ccls. and test and (determine near3 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:25
S5	0	717/???ccls. and test and (determine near3 value) and (active adj (data adj type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 07:52
S6	15	717/???ccls. and test and (determine near3 value) and lock\$3 and suspend\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:33
S7	1602	(identif\$7 near3 instance) and ((call or access) near3 (instance or data or value)) and execut\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:37
S8	20784	(identif\$7 near3 (instance or data or value)) and ((call or access) near3 (instance or data or value)) and execut\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:38
S9	906	(identif\$7 near3 instance) and ((call or access) near3 (instance or data or value)) and execut\$3 and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:38

S10	146	(identif\$7 near3 instance) and ((call or access) near3 (instance or data or value)) and execut\$3 and test\$3 and suspend	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:38
S11	1917	(identif\$7 near3 (instance or data or value)) and ((call or access) near3 (instance or data or value)) and execut\$3 and test\$3 and suspen\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:40
S12	88	test adj executive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:40
S13	8	test and automatic near3 (determin\$3 adj value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:56
S14	603	((identif\$7 near3 (instance or data or value)) and ((call or access) near3 (instance or data or value)) and execut\$3) and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:57
S15	384	((identif\$7 near3 (instance or data or value)) and ((call or access) near3 (instance or data or value)) and execut\$3) and 717/???.ccls. and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 17:58
S16	66	((identif\$7 near3 (instance or data or value)) and ((call or access) near3 (instance or data or value)) and execut\$3) and 717/???.ccls. and test\$3 and (suspend\$3 or suspense)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 18:12
S17	132	717/130.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 18:13
S18	77	717/130.ccls. and test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 18:13
S19	4	("4819234" "4853851" "5038348" "5313616").PN.	USPAT	OR	OFF	2003/02/20 18:28
S20	2	"5909577".URPN.	USPAT	OR	OFF	2003/02/20 18:29

S21	19	("4819234" "5313616" "5504881" "5938781" "6085029" "6249882" "6263491" "6385552" "6401220"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/24 08:28
S22	8889	test\$3 and (data adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 07:52
S23	0	test and (determine near3 value) and (active adj (data adj type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 07:53
S24	0	test and value and (active adj (data adj type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 07:53
S25	1785	test and (determine near3 value) and (data adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 08:01
S26	6878	test and value and (data adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 07:56
S27	6	(active adj (data adj type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 08:00
S28	6	(active adj ((data adj type)or datatype or data-type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 08:01
S29	28	(executive near3 test) and (determin\$5 near3 value) and ((data adj type) or data-type or datatype)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 08:03
S30	28	((executive near3 test) and (determin\$5 near3 value) and ((data adj type) or data-type or datatype)) not ((active adj ((data adj type)or datatype or data-type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/07/14 08:03

S31	14829	data adj (variable or value) same (algorithm or function or method or routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/14 17:28
S32	4065	data adj (variable or value) near5 (algorithm or function or method or routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:19
S33	2598	data adj (variable or value) near3 (algorithm or function or method or routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:20
S34	219	(data adj (variable or value) near3 type) near3 (algorithm or function or method or routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:24
S35	10	(data adj (variable or value) near3 type) near3 (algorithm or function or method or routine) and (automatic\$4 or programmatically) near3 ((call\$3 or execut\$5 or address\$3) near3 (algorithm or function or method or routine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:27
S36	10	(data adj (variable or value) near3 type) near3 (algorithm or function or method or routine) and (automatic\$4 or programmatically) near3 ((call\$3 or execut\$5 or address\$3) near5 (algorithm or function or method or routine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:29
S37	12	(data adj (variable or value) near3 type) near3 (algorithm or function or method or routine) and (automatic\$4 or programmatically) near5 ((call\$3 or execut\$5 or address\$3) near5 (algorithm or function or method or routine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:28

S38	2	((data adj (variable or value) near3 type) near3 (algorithm or function or method or routine) and (automatic\$4 or programmatically) near5 ((call\$3 or execut\$5 or address\$3) near5 (algorithm or function or method or routine))) not ((data adj (variable or value) near3 type) near3 (algorithm or function or method or routine) and (automatic\$4 or programmatically) near3 ((call\$3 or execut\$5 or address\$3) near5 (algorithm or function or method or routine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:28
S39	15	(data adj (variable or value) near3 type) near3 (algorithm or function or method or routine) and (automatic\$4 or programmatically) near3 (call\$3 or execut\$5 or address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:29
S40	5	((data adj (variable or value) near3 type) near3 (algorithm or function or method or routine) and (automatic\$4 or programmatically) near3 (call\$3 or execut\$5 or address\$3)) not ((data adj (variable or value) near3 type) near3 (algorithm or function or method or routine) and (automatic\$4 or programmatically) near3 ((call\$3 or execut\$5 or address\$3) near5 (algorithm or function or method or routine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:34
S41	1956	class and constructor and (algorithm or function or method or routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:35
S42	90	initia\$8 near3 (class and constructor) and (algorithm or function or method or routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:36
S43	79	initia\$8 near3 (class and constructor) and (algorithm or function or method or routine) same value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:36
S44	66	initia\$8 near3 (class and constructor) and (algorithm or function or method or routine) same value and result	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/15 07:37

S45	41241	((plug near3 play) or plug-n-play or plug* or pnp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/06 09:17
S46	7261	((plug near3 play) or plug-n-play or plug* or pnp) and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/06 09:18
S47	1789	((plug near3 play) or plug-n-play or plug* or pnp) and (test\$3 near3 (device or routine or executive or result))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 09:20
S48	216	((plug near3 play) or plug-n-play or plug* or pnp) and (test\$3 near3 (device or routine or executive or result)) and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 09:20
S49	13	((plug near3 play) or plug-n-play or plug* or pnp) same (test\$3 near3 (device or routine or executive or result)) and identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/01/06 09:21